JUL 1 2 7007			
FORM PTO-1449/A and B (Modified)	APPLICATION NO.:	10/627,331	ATTY. DOCKET NO.: C1039.70078US00
INFORMATION DISCLOSURE	FILING DATE:	July 25, 2003	CONFIRMATION NO.: 4362
STATEMENT BY APPLICANT	APPLICANT:	Arthur M. Krieg, et	al.
Sheet 1 of 9	GROUP ART UNIT:	1648	EXAMINER: Emily Le

				FOREIG	GN PATENT DOCUMENTS		
Examiner's Initials	Cite No.	Office/ Kind		Kind	Name of Patentee or Applicant of Cited Document (not necessary)	Date of Publication of Cited Document	Translation (Y/N)
		Country		Code		MM-DD-YYYY	
	*	GB	2216416A		Sandoz, Ltd.	11-10-1989	
	*	wo	91/12811		PCT	09-05-1991	
	*	EPO	0468520 A3		EPO	01-29-1992	
	*	WO	92/03456		PCT	03-05-1992	
	*	WO	92/18522		PCT	10-29-1992	
	*	wo	92/21353		PCT	12-10-1992	
	*	EPO	0302758 81		EPO	03-16-1994	
	*	wo	94/19945		PCT	09-15-1994	
	*	wo	95/05853		Regents of the University of CA	03-02-1995	
	*	wo	95/26204		PCT	10-05-1995	
	*	wo	96/02555		PCT	02-01-1996	
	*	wo	96/35782		Applied Research Systems	11-14-1996	
	*	wo	97/28259		PCT	08-07-1997	
	*	wo	98/14210		PCT	04-09-1998	
	*	WO	98/16247		Regents of the University of CA	04-231998	
	*	wo	98/18810		PCT	05-07-1998	
	*	WO	98/32462	A1	Wagner et al.	07-30-1998	
	*	wo	98/37919		PCT	09-03-1998	
	*	wo	98/40100		PCT	09-17-1998	
	*	wo	98/52581		PCT	11-26-1998	
	*	wo	98/55495	A2	Dynavax Tech. Corp.	03/11/1998	<u> </u>
	*	wo	99/11275	A2	Regents of the University of CA	03-11-1999	
	*	WO	99/62923	A2	Dynavax Tech. Corp	12/09/1999	
	*	wo	00/20039	A1	Regents of the University of CA	04/13/2000	1

FORM PTO-1449/A and B (Modified)  INFORMATION DISCLOSURE				APPLICATION NO.:	10/627,331	ATTY. DOCKET NO.: C1039.70078US00	
				FILING DATE:	July 25, 2003 CONFIRMATION NO.: 4362		
STATEMENT BY APPLICANT			APPLICANT:	Arthur M. Krieg, et	al.		
				GROUP ART UNIT:	1648	EXAMINER: Emily Le	
Sheet	2	of	9			,	

				FOREIG	GN PATENT DOCUMENTS		
Examiner's Initials			eign Patent Docum	nent	Name of Patentee or Applicant of Cited Document (not necessary)	Date of Publication of Cited Document MM-DD-YYYY	Translation (Y/N)
	*	WO	00/21556	A1	Dynavax Tech Corp.	04/20/2000	
	*	wo	00/62781	A1	Regents of the University of CA	10/26/2000	
	*	WO	01/02007	A1	The Reagents of the Univ. of California	01-11-2001	
	*	WO	01/12804	A2	Hybridon, Inc.	02-22-2001	
	*	WO	01/12223 A2		Dynavax Tech. Corp.	02-22-2001	
	*	WO	01/55341	A2	The Reagents of the Univ. of California	08-02-2001	
	*	WO	01/68117	A2	Dynavax Tech. Corp.	09-20-2001	
	*	wo	01/68116	A2	Dynavax Tech. Corp.	09-20-2001	
	*	WO	01/68078	A2	Dynavax Tech. Corp.	09-20-2001	
	*	wo	01/68077	A2	Dynavax Tech. Corp.	09-20-2001	
	*	wo	01/68103	A2	Dynavax Tech. Corp.	09-20-2001	

OTHER ART — NON PATENT LITERATURE DOCUMENTS

Examiner's	Cite	Include name of the author (in CAPITAL LETTERS) title of the article (when appropriate), title of the item	Translation
Initials	No	(book, magazine, journal, serial, symposium, catalog, etc.), date, relevant page(s), volume-issue number(s), publisher, city and/or country where published.	(Y/N)
	*	ADYA N et al., Expansion of CREB's DNA recognition specificity by Tax results from interaction with Ala-Ala-Arg at positions 282-284 near the conserved DNA-binding domain of CREB. Proc Natl Acad Sci USA (1994) 91(12):5642-5	
	*	AGRAWAL, et al., Pharmacokinetics of Antisense Oligonucleotides, Clin. Pharmacokinet (1995) 28(1):7.	
	*	ANDERSON, G., et al. "TH2 and 'TH2-like' cells in allergy and asthma; pharmacological perspectives", <i>TiPS</i> , 15:324-332, (1994)	
	*	ANGIER, N., Microbe DNA Seen as Alien By Immune System, New York Times, 4/11/95.	
	*	AZAD RF et al., Antiviral Activity of a Phosphorothioate Oligonucleotide Complementary to RNA of the Human Cytomegalovirus Major Immediate-Early Region, Antimicrobial Agents and Chemotherapy, 37:1945-1954, September, 1993.	
	*	AZUMA, Biochemical and Immunological Studies on Cellular Components of Tubercle Bacilli, Kekkaku, (1992) Vol. 69, 9:45-55.	
	*	BALLAS ZK et al., Induction of NK activity in murine and human cells by CpG motifs in oligodeoxynucleotides and bacterial DNA. <i>J Immunol</i> (1996) 157(5):1840-5.	
	•	BAYEVER, E., Systemic Administration of a Phosphorothioate Oligonucleotide with a Sequence Complementary to p35 for Acute Myelogenous leukemia and Myelodysplastic Syndrome: Initial Results of a Phase I Trila, Intiesnse Res. & Dev. (1993), 3:383-390.	
	*	BENNETT RM et al., DNA binding to human leukocytes. Evidence for a receptor-mediated association, internalization, and degradation of DNA. (1985) J Clin Invest 76(6):2182-90.	
	*	BERG DI et al., Interleukin-10 is a central regulator of the response to LPS in murine models of endotoxic shock and the Shwartzman reaction but not endotoxin tolerance. J Clin Invest (1995) 96(5):2339-47.	
	*	BLANCHARD DK et al., Interferon-gamma induction by lipopolysaccharide: dependence on interleukin 2 and macrophages. <i>J Immunol</i> (1986) 136(3):963-70.	
	*	BLAXTER et al., Genes expressed in Brugia malayi infective third stage larvae. Molecular and	

	Bioch	hemic	al Parasitology,	77:77-93.				
FORM PTO-1449/A and B (Modified)				APPLICATION NO.:	10/627,331	ATTY. DOCKET NO.: C1039.70078US		500
	RMATION I			FILING DATE:	July 25, 2003	CONFIRMATION NO.: 4362		
STATEMENT BY APPLICANT			APPLICANT:	Arthur M. Krieg, et	al.			
				GROUP ART UNIT:	1648	EXAMINER: Emily Le		
Sheet	3	of	9			·		

Examiner's	Cite	Include name of the author (in CAPITAL LETTERS) title of the article (when appropriate), title of the item	Translatio
Initials	No	(book, magazine, journal, serial, symposium, catalog, etc.), date, relevant page(s), volume-issue number(s), publisher, city and/or country where published.	(Y/N)
	*	BOGGS RT et al., Characterization and modulation of immune stimulation by modified oligonucleotides. Antisense Nucleic Acid Drug Dev (1997) 7(5):461-71.	
	*	BRANDA et al., Immune Stimulation by an Antisense Oligomer Complementary to the rev gene of HIV-1, <i>Biochemical Pharmacology</i> , (1993) Vol. 45, 10:2037-2043.	
	*	BRANDA RF et al., Amplification of antibody production by phosphorothioate oligodeoxynucleotides, <i>J. Lab Clin Med</i> (1996) 128(3):329-38.	
	*	BRISKIN M et al., Lipopolysaccharide-unresponsive mutant pre-B-cell lines blocked in NF-kappa B activation, (1990) Mol Cell Biol 10(1):422-5.	
	*	CHACE, J. et al., Regulation of Differentiation in CD5+ and Conventional B Cells, Clinical Immunology and Immunopathology, (1993) 68:3:327-332.	
	*	CHANG YN et al., The palindromic series I repeats in the simian cytomegalovirus major immediate- early promoter behave as both strong basal enhancers and cyclic AMP response elements, J Virol (1990) 64(1):264-77.	
	*	CHU RS et al., CpG oligodeoxynucleotides act as adjuvants that switch on T helper 1 (Th1) immunity, (1997) J Exp Med 186(10):1623-31	
	*	COSSUM et al., Pharmacokinetics of a 14C-Labeled Phosphorothioate Oligonucleotide, ISIS 2105, after Intradermal Administration toRats, J Pharmacol Exp Therapeutics (1993) 269(1):89.	
	*	COWDERY JS et al., Bacterial DNA induces NK cells to produce IFN-gamma in vivo and increases the toxicity of lipopolysaccharides, <i>J Immunol</i> (1996) 156(12):4570-5.	
	*	CROSBY et al., The Early Responses Gene FGFI-C Encodes a Zinc Finger Transcriptional Activator and is a Member of the GCGGGGGCG (GSG) Element-Binding Protein Family, Mol. Cell. Biol. (1991):2383-53841.	
	*	CRYSTAL, Transfer of Genes to Humans: Early Lessons and Obstacles to Success. Science, (1995) Vol. 270, pp. 404-410.	
	*	D'ANDREA A et al., Interleukin 10 (IL-10) inhibits human lymphocyte interferon gamma-production by suppressing natural killer cell stimulatory factor/IL-12 synthesis in accessory cells, J Exp. Med (1993) 178(3):1041-8.	
	*	ELKINS, K. L., Rhinehart-Jones, T. R., et al., "Bacterial DNA containing CpG motifs stimulates lymphocyte-dependent protection of mice against lethal infection with intracellular bacteria." J Immunol 162:2291-2298, 1999.	
	*	ENGLISCH et al., Chemically Modified Oligonucleotides as Probes and Inhibitors, Angew. Chem. Int. Ed. Engl (1991) 30:613-629.	
	*	ERB KJ et al., Infection of mice with Mycobacterium bovis-Bacillus Calmette-Guerin (BCG) suppresses allergen- induced airway eosinophilia, <i>J Exp Med</i> (1998) 187(4):561-9	
	*	ETLINJER, Carrier sequence selection - one key to successful vaccines, <i>Immunology Today</i> , (1992) Vol. 13, 2:52-55.	
	*	FOX RI, Mechanism of action of hydroxychloroquine as an antirheumatic drug. Chemical Abstracts, (1994) 120:15, Abstract No. 182630.	
	*	FREIDAG, B. L et al., "CpG oligodeoxynucleotides and interleukin-12 improve the efficacy of Mycobacterium bovis BCG vaccination in mice challenged with M. tuberculosis.: Infect Immun 68:2948-2953, 2000.	
	*	GAO, W-Y et al., Phosphorothioate oligonucleotides are inhibitors of human DNA polymerases and Rnase H: Implications for antisense technology. <i>Mol. Pharmacol.</i> (1992), 41, 223-229.	
	*	GURA, T., Antisense Has Growing Pains, Science (1995), 270:575-576.	

FORM PTC	0-1449/A and B (M	lodifie	d)	APPLICATION NO.:	10/627,331	ATTY. DOCKET NO.: C1039.70078US00	
	RMATION D			FILING DATE:	July 25, 2003	CONFIRMATION NO.: 4362	
STATEMENT BY APPLICANT			LICANT	APPLICANT:	Arthur M. Krieg, et	al.	
				GROUP ART UNIT:	1648	EXAMINER: Emily Le	
Sheet	4	of	9	GROOF ART CIVIT.	1040	EXAMINER. Emily EC	

Examiner's	Cite	OTHER ART — NON PATENT LITERATURE DOCUMENTS  Include name of the author (in CAPITAL LETTERS) title of the article (when appropriate), title of the item	Transla	
Initials	No	(book, magazine, journal, serial, symposium, catalog, etc.), date, relevant page(s), volume-issue number(s), publisher, city and/or country where published.	(Y/ì	۷)
	*	HADDEN J et al., Immunostimulants. TIPS, (1993), 141:169-174.		
	*	HALPERN MD et al., Bacterial DNA induces murine interferon-gamma production by stimulation of		
		interleukin-12 and tumor necrosis factor-alpha. Cell Immunol (1996) 167(1):72-8.		
	*	HATZFELD J., Release of Early Human Hematopoietic Progenitors from Quiescence by Antisense		
		Transforming Growth Factor β1 or Rb Oligonucleotides, J. Exp. Med., (1991) 174:925-929.		
	*	HAYASHI, T.et al., "Enhancement of innate immunity against Mycobacterium avium infection by		
	İ	immunostimulatory DNA is mediated by indoleamine 2,3-dioxygenase." Infect Immun 69:6156-		
		6164, 2001.	$\vdash$	
	*	HIGHFIELD PE, Sepsis: the More, the Murkier. Biotechnology, (1994) 12:828.		
	*	HOEFFLER JP et al., Identification of multiple nuclear factors that interact with cyclic adenosine		
	l	3',5'-monophosphate response element-binding protein and activating transcription factor-2 by	ĺ	
		protein-protein interactions., (1994) Mol Endocrinol 5(2):256-66.		_
	*	HORSPOOL JH et al., Nucleic acid vaccine-induced immune responses require CD28 costimulation		
	*	and are regulated by CTLA4. (1998) <i>J. Immunol</i> , 160, 2706-2714.  IGUCHI-ARIGA SM and Shaffner W, CpG methylation of the cAMP-responsive enhancer/promoter	$\vdash$	-
	1	sequence TGACGTCA abolishes specific factor binding as well as transcriptional activation. Genes		
		Dev (1989) 3(5):612-9.		
	*	ISHIKAWA R et al., IFN induction and associated changes in splenic leukocyte distribution. J		_
	Ι'	Immunol (1993) 150(9):3713-27.		
	*	IVERSON, P., et al., "Pharmacokinetics of an Antisense Phosphorothioate Oligodeoxynucleotide		_
	1	against rev from Human Immunodeficiency Virus Type 1 in the Adult male Rate Following Single		
		Injections and Continuous Infusion", Antisense Research and Development, (1994) 4:43-52.		
	*	JAKWAY JP et al., Growth regulation of the B lymphoma cell line WEHI-231 by		
	1	anti-immunoglobulin, lipopolysaccharide, and other bacterial products. J Immunol (1986)		
		137(7):2225-31.		
	*	JAROSZEWSKI JW and Cohen JS, Cellular uptake of antisense oligonucleotides. Adv Drug	1 1	
		Delivery Rev (1991) 6(3):235-50.		
	*	JONES TR et al., Synthetic oligonucleotides containing CpG motifs enhance immunogenicity of a		
		peptide malaria vaccine in Aotus monkeys. Vaccine (1999) 17, 3065-3071.		
	*	JUFFERMANS, N. P. et al., "CpG oligodeoxynucleotides enhance host defense during murine		
	*	tuberculosis." Infect Immun 70:147-152, 2002.  KATAOKA, T. et al., Antitumor Activity of Synthetic Oligonucleotides with Sequences from cDNA		-
	1	Encoding Proteins of Mycobacterium bovis BCG, JPN. J. Cancer Res. (1992) 83:244.		
	*	KAWANO, K., et al., "Analysis and Regulation of interferon-gamma production by peripheral blood		-
	1	lymphocytes from patients with bronchial asthma", ABSTRACT, Arerugi, 43:3:482-91, (1994)		
	*	KIMURA Y et al., Binding of Oligoguanylate to Scavenger Receptors Is Required for	-	
		Oligonucleotides to Augment NK Cell Activity and Induce IFN, J. Biochem., (1994) Vol. 116, 5:991-		
		994.		
	*	KLINE JN et al., CpG motif oligonucleotides are effective in prevention of eosinophilic		
		inflammation in a murine model of asthma. J Invest Med (1996) 44(7):380A.		
	*	KLINE JN et al., CpG oligonucleotides can reverse as well as prevent Th2-mediated inflammation in		
	-	a murine model of asthma. J Invest Med (1997) 45(7):298A.		_
	*	KLINE JN et al.,"Immune redirection by CpG oligonucleotides. Conversion of a Th2 response to a Th1 response in murine model of asthma." J. Invest Med. 45(3):282A, 1997.	ıl	

FORM PTO-1449/A and B (Modified)	APPLICATION NO.	: 10/627,331	ATTY, DOCKET NO.: C1039.70078US00
INFORMATION DISCLOSURE	FILING DATE:	July 25, 2003	CONFIRMATION NO.: 4362
STATEMENT BY APPLICANT	APPLICANT:	Arthur M. Krieg, et	al.

GROUP ART UNIT: 1648

EXAMINER: Emily Le

Sheet	5	of 9		
		OTHER ART — NON PATENT LITERATURE DOCUMENTS		
Examiner's	Cite	Include name of the author (in CAPITAL LETTERS) title of the article (when appropriate), title of the item	Translation	
Initials	No	(book, magazine, journal, serial, symposium, catalog, etc.), date, relevant page(s), volume-issue number(s),	(Y/N)	
	<del> </del>	publisher, city and/or country where published.		
	*	KLINMAN DM et al., CpG motifs present in bacteria DNA rapidly induce lymphocytes to secrete		
	-	interleukin 6, interleukin 12, and interferon gamma. Proc Natl Acad Sci USA (1996) 93(7):2879-83.		
	*	KLINMAN, D. et al., Immune Recognition of Foreign DNA: A Cure for Bioterrorism?, Immunity		
		(1999) 11:123.		
	*	KLINMAN, D. M. et al., "Repeated administration of synthetic oligodeoxynucleotides expressing		
	1	CpG motifs provides long-term protection against bacterial infection. Infect Immun 67:5658-5663,		
		1999"		
	*	KLINMAN, D. M., Kamstrup, S., Verthelyi, D., Gursel, I., Ishii, K. J., Takeshita, F., and Gursel, M.		
	1	Activation of the innate immune system by CpG oligodeoxynucleotides: immunoprotective activity		
		and safety. Springer Semin Immunopathol 22:173-183, 2000		
	*	KRIEG, A. M., et al., "CpG DNA induces sustained IL-12 expression in vivo and resistance to		
		Listeria monocytogenes challenge." J Immunol 161:2428-2434, 1998.		
	*	KRIEG, CpG Motifs in Bacterial DNA and Their Immune Effects, Annu. Rev. Immunol. (2002)		
		20:709		
	*	KRIEG AM et al, A Role for Endogenous Retroviral Sequences in the Regulation of Lymphocyte		
		Activation, Journal of Immunology, Vol. 143, 2448-2451	i I	
	*	KRIEG AM et al., The role of CpG dinuleotides in DNA vaccines, Trends in Microbiology, Vol. 6,		
	1	pp. 23-27, Jan 1998.		
	*	KRIEG AM et al, Phosphorothioate Oligodeoxynucleotides: Antisense or Anti-Protein?, Antisense		
	1	Research and Development, (1995), 5:241		
	KRIEG AM et al., CpG DNA: A Pathogenic Factor in Systemic Lupus Erythematosus?, Journal			
	1	Clinical Immunology, (1995) 15:6:284-292		
	*	KRIEG AM et al., CpG motifs in bacterial DNA trigger direct B-cell activation. <i>Nature</i> 374:546-9,		
	1 *	1995.		
	*	KRIEG AM et al., Leukocyte Stimulation by Oligodeoxynucleotides, Applied Antisense	$\vdash$	
	*	Oligonucleotide Technology, (1998), 431-448		
	*	KRIEG AM et al., Modification of antisense phosphodiester oligodeoxynucleotides by a 5'	-	
	1	cholesteryl moiety increases cellular association and improves efficacy, <i>Proc. Natl. Acad. Sci.</i> ,		
	i	(1993), 90:1048-1052.		
	*	KRIEG AM et al., Oligodeoxynucleotide modifications determine the magnitude of B cell		
	1	stimulation by CpG motifs, Antisense Nucleic Acid Drug Dev (1996) 6(2):133-9.		
	*	KRIEG AM et al., Uptake of oligodeoxyribonucleotides by lymphoid cells is heterogeneous and		
	*			
	<del> </del>	inducible. Antisense Res Dev (1991) 1(2):161-71.		
	*	KRIEG AM, An innate immune defense mechanism based on the recognition of CpG motifs in	.	
	-	microbial DNA. J Lab Clin Med (1996) 128(2):128-33.		
	*	KURAMOTO et al., Oligonucleotide Sequences Required for Natural Killer Cell Activation, Jpn. J.		
		Cancer Res., (1992) 83:1128-1131.	-	
	*	LAGRANGE et al., Immune Responses Directed Against Infectious and Parasitic Agents, Principle		
		Types of Immune Responses.		
	*	LEONARD et al., Conformation of Guanine 8-Oxoadenine Base Pairs in the Crystal Structure of		
		d(CGCGAATT(08A)GCG), Biochemistry (1992) 31(36):8415-8420.		
	*	LIPFORD G. B. et al. "Immunostimulatory DNA: sequence-dependent production of potentially	1 1	
		harmful or useful cytokines." Eur J Immunol 27:3420-3426, 1997.		
	*	MACFARLANE DE and Manzel L, Antagonism of immunostimulatory CpG-oligodeoxynucleotides by		
	<del> </del>	quinacrine, chloroquine, and structurally related compounds. J Immunol (1998) 160(3):1122-31.	<b>├</b>	
	*	MANZEL L and Macfarlane DE, Lack of Immune Stimulation by Immobilized CpG-oligonucleotide. Antisense & Nucleic Acid Drug Development, (1999) 459-464.	1 1	

FORM PTO-1449/A and B (Modified)  INFORMATION DISCLOSURE				APPLICATION NO.:	10/627,331	ATTY. DOCKET NO.: C1039.70078US00	
				FILING DATE:	FILING DATE: July 25, 2003 CONFIRMATION NO.: 4362		
STAT	STATEMENT BY APPLICANT			APPLICANT:	Arthur M. Krieg, et	al.	
				GROUP ART UNIT:	1648	EXAMINER: Not yet assigned	
Sheet	6	of	9	CROOL ART CHIT.	10.0	Did Dillion. Therefore about the	

Examiner's	Cite	OTHER ART — NON PATENT LITERATURE DOCUMENTS  Include name of the author (in CAPITAL LETTERS) title of the article (when appropriate), title of the item	Translatio (Y/N)					
Initials	No	publisher, city and/or country where published.						
	*	MASTRANGELO MJ et al., Gene therapy for human cancer: an essay for clinicians. Seminars in						
	1	Oncology (1996) 23(1):4-21.						
	*	MATSON S and Krieg AM, Nonspecific suppression of [3H]thymidine incorporation by "control"						
		oligonucleotides. Antisense Res Dev (1992) 2(4):325-30.						
	*	MCINTYRE KW et al., A sense phosphorothioate oligonucleotide directed to the initiation codon of						
	1	transcription factor NF-kappa B p65 causes sequence-specific immune stimulation. Antisense Res						
	l	Dev (1993) 3(4):309-22.						
	*	MESSINA et al., Stimulation of in vitro Murine Lymphocyte Proliferation by Bacterial DNA. J.						
		Immunol., (1991) Vol. 147, 6:1759-1764.						
	*	MESSINA et al., The Influence of DNA Structure on the in vitro Stimulation of Murine	1 1					
		Lymphocytes by Natural and Synthetic Polynucleotide Antigens. Cellular Immunology, (1993)						
		147:148-157.						
	*	MOJCIK, C., et al., Administration of a Phosphorothioate Oligonucleotide Antisense Murine	l l					
		Endogenous Retroviral MCF env Causes Immune Effect in vivo in a Sequence-Specific Manner, Clinical Immunology and Immunopathology, (1993) 67:2:130-136.						
	*	MOTTRAM et al., A novel CDC2-related protein kinase from leishmania mexicana LmmCRK1 is						
	1	post-translationally regulated during the life cycle. J. Biol. Chem. (1993) 268:28, 21044-21052.						
	*	New England BIOLABS 1988-1989 Catalog	1					
	*	NYCE JW and Metzger WJ, DNA antisense therapy for asthma in an animal model. <i>Nature</i> (1997)						
	*	385:721-725.						
	*	PISETSKY DS, The immunologic properties of DNA. J Immunol (1996) 156(2):421-3.						
		PISETSKY et al., Stimulation of Murine Lymphocyte Proliferation by a Phosphorothioate	-					
	*	Oligonucleotide with Antisense Activity for Herpes Simplex Virus. <i>Life Science</i> , (1994) Vol. 54, pp.						
		101-107.						
	*	PISETSKY, D., "Stimulation of in vitro proliferation of murine lymphocytes by synthetic						
	1	oligodeoxynucleotides", Molecular Biology Repairs, (1993) 18:217-221.						
	*	PISETSKY, Immunological Consequences of Nucleic Acid Therapy, Antisense Research and						
	1	Development, (1995) 5:219-225.						
	*	RAZ E et al., Preferential induction of a Th1 immune response and inhibition of specific IgE						
	1	antibody formation by plasmid DNA immunization. Proc Natl Acad Sci USA (1996) 93(10):5141-5.						
	*	RICCI, M., et al., "T cells, cytokines, IgE and allergic airways inflammation", J invest Allergol Clin						
	1	Immunol <sup>2</sup> , 4:5;214-220, (1994)						
	*	ROMAN M et al., Immunostimulatory DNA sequences function as T helper-1-promoting adjuvants.						
		Nat Med (1997) 3(8):849-54.						
	*	SATO et al., Immunostimulatory DNA Sequences Necessary for Effective Intradermal Gene						
		Immunization, Science, (1996) Vol. 273, pp. 352-354.	<u> </u>					
	*	SCHNELL et al., Identification and characterization of a Saccharomyces cerevisiae gene (PAR1)						
		conferring resistance to iron chelators. Eur. J. Biochem., 200:487-493.						
	*	SCHWARTZ DA et al., CpG motifs in bacterial DNA cause inflammation in the lower respiratory						
	+	tract. J Clin Invest (1997) 100(1):68-73.	+					
	*	SCHWARTZ DA et al., Endotoxin responsiveness and grain dust-induced inflammation in the lower						
	*	respiratory tract. Am J Physiol (1994) 267(5 Pt 1):L609-17.  SCHWARTZ DA et al., The role of endotoxin in grain dust-induced lung disease. Am J Respir Crit	+ +					
	1 ~	Care Med (1995) 152(2):603-8						

FORM PTO-1449/A and B (Modified)				APPLICATION NO.: 10/627,331		ATTY. DOCKET NO.: C1039.70078US00	
	RMATION D			FILING DATE:	July 25, 2003	CONFIRMATION NO.: 4362	
STATEMENT BY APPLICANT			APPLICANT:	Arthur M. Krieg, et al.			
Sheet	7	of	9	GROUP ART UNIT:	1648	EXAMINER: Not yet assigned	
O.I.Cot	L <u>'</u>	_ UI		L		A.,	

Examiner's	Cite	OTHER ART — NON PATENT LITERATURE DOCUMENTS  Include name of the author (in CAPITAL LETTERS) title of the article (when appropriate), title of the item	Translation	on					
Initials	No	(book, magazine, journal, serial, symposium, catalog, etc.), date, relevant page(s), volume-issue number(s), publisher, city and/or country where published.							
	*	SEDEGAH, M.et al. "Interleukin 12 induction of interferon g-dependent protection against malaria." Proc Natl Acad Sci USA 91:10700-10702, 1994.							
	*	SETHI, S. et al. "Postexposure prophylaxis against prion disease with a stimulator of innate immunity." <i>Lancet</i> 360:229-230, 2002.							
	*	SHIRAKAWA T et al., The inverse association between tuberculin responses and atopic disorder. Science (1997) 275(5296):77-9.							
	*	SPARWASSER T et al., Macrophages sense pathogens via DNA motifs: induction of tumor necrosis factor-alpha-mediated shock. Eur J Immunol (1997) 27(7):1671-9.							
	*	SPIEGELBERG, H., et al., "Recognition of T Cell Epitopes and Lymphokine Secretion by Rye Grass Allergen Lolium perenne I-Specific Human T Cell Clones", J of Immunology, 4706-4711, (1994)							
	*	STACEY, K. J et al. "Immunostimulatory DNA as an adjuvant in vaccination against Leishmania major." Infect Immun 67:3719-3726, 1999.							
	*	STEIN CA et al., Oligonucleotides as inhibitors of gene expression: a review. Cancer Research, (1988) 48:2659-2668.							
	*	STULL et al., Antigene, Ribozyme, and Aptamer Nucleic Acid Drugs: Progress and Prospects,  Pharmaceutical Res., (1995) Vol. 12, 4:465-483.							
	*	SUBRAMANIAN et al., Theoretical Considerations on the "Spine of Hydration" in the Minor Groove of d(CGCGAATTCGCG) d(CGCGTTAAGCGC): Monte Carlo Computer Simulation. Proc. Nat'l. Acad. Sci. USA, (1988) 85:1836-1840.							
	*	TANAKA T et al., An antisense Oligonucleotide complementary to a sequence in IG2b increases G2b germline transcripts stimulates B cell DNA synthesis and inhibits immunoglobulin secretion. J. Exp. Med. (1992) 175:597-607.							
	*	THORNE PS., Experimental grain dust atmospheres generated by wet and dry aerosolization techniques. Am J Ind Med (1994) 25(1):109-12.							
	*	TOKUNAGA T et al., A synthetic single-stranded DNA, poly(dG,dC), induces interferon-alpha/beta and-gamma, augments natural killer activity, and suppresses tumor growth. <i>Jpn J Cancer Res</i> (1988) Jun;79(6):682-6.							
	*	TOKUNAGA T et al., Synthetic Oligonucleotides with Particular Base Sequences form the cDNA Encoding Proteins of Myobacterium bovis BCG Induce Interferons and Activate Natural Killer Cells, Microbiol. Immunol. (1992) Vol. 36. 1:55-66.							
	*	UHLMANN et al., Antisense Oligonucleotides: A New Therapeutic Principle. Chemical Reviews, (1990) 90:543-584.							
	*	WAGNER RW, Gene inhibition using antisense oligodeoxynucleotides. <i>Nature</i> , (1994) 372:L333-335.		_					
	*	WALKER, P. S. et al. "Immunostimulatory oligodeoxynucleotides promote protective immunity and provide systemic therapy for leishmaniasis via IL-12- and IFN-g-dependent mechanisms." <i>Proc Natl Acad Sci U S A</i> 96:6970-6975, 1999.							
	*	WALKER, C., et al., "Activated T Cells and Cytokines in Bronchoalveolar Lavages from Patients with Various Lung Diseases Associated with Eosinophilia", Am J Respir Crit Care Med, 150:1038-1048, (1994).							
	*	WALLACE et al., Oligonucleotide probes for the screening of recombinant DNA libraries. Methods in Enzymology, (1987) 152:432-442.							
	*	WEISS R., Upping the Antisense Ante: Scientists bet on profits from reverse genetics. Science, (1991) 139:108-109.							

FORM PTO-1449/A and B (Modified)  INFORMATION DISCLOSURE				APPLICATION NO.:	10/627,331	ATTY. DOCKET NO.: C1039.70078US00	
				FILING DATE:	July 25, 2003	CONFIRMATION NO.: 4362	
STATEMENT BY APPLICANT			APPLICANT:	Arthur M. Krieg, et al.			
				GROUP ART UNIT:	1648	EXAMINER: Not yet assigned	
Sheet	8	of	9	GROOT ART UNIT.	1040	EXAMINER. Not yet assigned	

Examiner's	Cite	OTHER ART — NON PATENT LITERATURE DOCUMENTS  Include name of the author (in CAPITAL LETTERS) title of the article (when appropriate), title of the item	Translatio					
Initials	No	(book, magazine, journal, serial, symposium, catalog, etc.), date, relevant page(s), volume-issue number(s), publisher, city and/or country where published.						
	*	WHALEN R, DNA Vaccines for Emerging Infection Diseases: What If?, Emerging Infectious Disease, (1996) Vol. 2, 3:168-175.						
	*	WOOLDRIDGE, JE et al., Immunostimulatory oligodeoxynucleotides containing CpG motifs enhance the efficacy of monoclonal antibody therapy of lymphoma. <i>Blood</i> , (1997)89:2994-2998.						
	*	WU GY et al., Receptor-mediated gene delivery and expression in vivo. J. Biol. Chem., (1988) 263:14621-14624.						
	*	WU-PONG S., Oligonucleotides: Opportunities for Drug Therapy and Research. <i>Pharmaceutical Technology</i> , (1994) 18:102-114.						
	*	YAMAMOTO et al., Lipofection of Synthetic Oligodeoxyribonucleotide Having a Palindromic Sequence AACGTT to Murine Splenocytes Enhances Interferon Production and Natural Killer Activity. Microbiol. Immunol., (1994) Vol. 38, 10:831-836.						
	*	YAMAMOTO S et al., DNA from bacteria, but not from vertebrates, induces interferons, activates natural killer cells and inhibits tumor growth. <i>Microbiol Immunol</i> (1992) 36(9):983-97.						
	*	YAMAMOTO S et al., In vitro augmentation of natural killer cell activity and production of interferon-alphabeta and-gamma with deoxyxibonucleic acid fraction from Mycobacterium bovis BCG, Jon J Cancer Res (1988) 79:866-71						
	*	YAMAMOTO S et al., Unique Palindromic Sequences in Synthetic Oligonucleotides are Required to Induce INF and Augment INF-Mediated Natural Killer Activity. J. Immunol., (1992) Vol. 148, 12:4072-4076.						
to	*	YAMAMOTO S., Mode of Action of Oligonucleotide Fraction Extracted from Mycobacterium bovis BCG, Kekkaku, (1994) Vol. 69, 9:29-32.						
	*	YAMAMOTO T et al., Ability of Oligonucleotides with Certain Palindromes to Induce Interferon Production and Augment Natural Killer Cell Activity is Associated with Their Base Length. Antisense Res. and Devel., (1994) 4:119-123.						
	*	YAMAMOTO T et al., Synthetic Oligonucleotides with Certain Palindromes Stimulate Interferon Production of Human Peripheral Blood Lymphocytes in vitro. Jpn. J. Cancer Res., (1994) 85:775-779.						
	*	YI, Ae-Kyung et al., Rapid Immune Activation by CpG Motifs in Bacterial DNA, <i>J Immunol</i> , (1996) 157:5394-5402.						
	*	Y1, A-K et al., IFN-γ promotes IL-6 and IgM secretion in response to CpG motifs in bacterial DNA and oligonucleotides, J Immunol (1996)156(2):558-64.						
	*	ZELPHATI, Oct al., Inhibition of HIV-I Replication in Cultured Cells with Antisense Oligonucleotides Encapsulated in Immunoliposomes, Antisense Research and Development (1993) 3:323.						
	*	ZHAO Q et al., Comparison of cellular binding and uptake of antisense phosphodiester, phosphorothioate, and mixed phosphorothioate and methylphosphonate oligonucleotides. <i>Antisense Res Dev</i> (1993).						
	*	ZHAO Q et al., Stage-specific oligonucleotide uptake in murine bone marrow B-cell precursors. Blood (1994) 84(11):3660-6.						

FORM PTO	0-1449/A and B (M	lodifie	d)	APPLICATION NO.:	10/627,331	ATTY. DOCKET NO.: C1039.70078US00
	RMATION D			FILING DATE:	July 25, 2003	CONFIRMATION NO.: 4362
STATEMENT BY APPLICANT			APPLICANT:	Arthur M. Krieg, et al.		
Sheet	9	of	9	GROUP ART UNIT:	1648	EXAMINER: Not yet assigned

OTHER ART — NON PATENT LITERATURE DOCUMENTS							
Examiner's	Cite	Include name of the author (in CAPITAL LETTERS) title of the article (when appropriate), title of the item	Translation				
Initials	No	(book, magazine, journal, serial, symposium, catalog, etc.), date, relevant page(s), volume-issue number(s),	(Y/N)				
		publisher, city and/or country where published.					
	*	ZIMMERMANN, S. et al., "CpG oligodeoxynucleotides trigger protective and curative Th1					
		responses in lethal murine leishmaniasis." J Immunol 160:3627-3630, 1998.	1 11				

part	
EXAMINER	DATE CONSIDERED

#EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

\* a copy of this reference is not provided as it was previously cited by or submitted to the office in one of the following prior applications, Serial No. 08/236.063\_, filed 02/07/95\_Serial No. 08/560.714\_, filed 10/20/95\_Serial No. 08/560.714\_, filed

[NOTE - Must provide a copy of any patent, publication, other information listed, even if it was previously submitted to, or cited by, the U.S. Patent Office in an earlier application, unless the earlier application is identified by the IDS and is relied upon for an earlier filling date under 35 U.S.C. §120, and the copy was provided in the earlier application.]